

Titel	Referenz	Betreuer
The conformation of acetylcholine at its target site in the membrane-embedded nicotinic acetylcholine receptor	PNAS (2007) , 104, 18031-18036, Williamson, P. T. F., Verhoeven, A., Miller, K. W., Meier, B. H. and Watts, A.	Clemens Glaubitz
Nanomole-scale protein solid-state NMR by breaking intrinsic ^1H T_1 boundaries	Nature Methods (2009) , 6, 215 – 218, Wickramasinghe, N.P., Parthasarathy, S., Jones, C.R., Bhardwaj, C., Long, F., Kotecha, M., Mehboob, S., Fung, L. W-M., Past, J., Samoson A. and Ishii, Y.	Clemens Glaubitz
3D TEDOR NMR Experiments for the Simultaneous Measurement of Multiple Carbon-Nitrogen Distances in Uniformly C-13, N-15-Labeled Solids	J. Am. Chem. Soc. , (2002), 124, 10728-10742 Jaroniec, C.P., Filip, C., and Griffin, R.G	Clemens Glaubitz
Photocycle-Dependent Conformational Changes in the Proteorhodopsin Cross-Protomer Asp-His-Trp Triad Revealed by Dnp-Enhanced Mas-Nmr.	Proc Natl Acad Sci U S A (2019) , 116 (17), 8342-8349. Maciejko, J.; Kaur, J.; Becker-Baldus, J.; Glaubitz, C.,	Clemens Glaubitz
EPR-aided approach for solution structure determination of large RNAs or protein–RNA complexes	Nat.Comm. , (2014), 5, 3669, Duss, O., Yulikov, M., Jeschke, G. and Allain, F. H-T.	Thomas F. Prisner Benesh Joseph
Nitrogen detected TROSY at high field yields high resolution and sensitivity for protein NMR	J Biomol NMR. (2015) , 63, 323-31 Takeuchi K, Arthanari H, Shimada I, Wagner G.	Boris Fürtig
Direct (13)C-detected NMR experiments for mapping and characterization of hydrogen bonds in RNA	J Biomol NMR. (2016) , 64, 207-21, Fürtig B, Schnieders R, Richter C, Zetzsche H, Keyhani S, Helmling C, Kovacs H, Schwalbe H.	Boris Fürtig
Dynamic Nuclear Polarization of ^1H , ^{13}C , and ^{59}Co in a Tris(ethylene–diamine)cobalt(III) Crystalline Lattice Doped with Cr(III)	J. Am. Chem. Soc. (2014) , 136, 11716–11727, Corzilius, B., Michaelis, V. K., Penzel, S. A., Ravera, E., Smith, A. A., Luchinat, C. and Griffin, R. G.	Clemens Glaubitz Thomas F. Prisner
Dynamic Nuclear Polarization of Nucleic Acid with Endogenously Bound Manganese	J. Biomol. NMR (2015) 63, 97–109 Wenk, P., Kaushik, M., Richter, D., Vogel, M., Suess, B. and Corzilius, B.	Clemens Glaubitz Thomas F. Prisner
Monomeric A β (1-40) and A β (1-42) Peptides in Solution Adopt Very Similar Ramachandran Map Distributions That Closely Resemble Random Coil	Biochem. (2016) , 5, 762-75, Roche J, Shen Y, Lee JH, Ying J, Bax A.	Harald Schwalbe
Visualizing transient Watson-Crick-like mispairs in DNA and RNA duplexes	Nature. (2015) , 7543, 315-20, Kimsey IJ, Petzold K, Sathyamoorthy B, Stein ZW, Al-Hashimi HM.	Harald Schwalbe
Physiological-Temperature Distance Measurement in Nucleic Acid using Triarylmethyl-Based Spin Labels and Pulsed Dipolar EPR Spectroscopy	J.Am.Chem.Soc. , (2014), 136, 9874–9877, Shevelev, G.Yu, Krumkacheva, O.A., Lomzov, A. A., Kuzhelev, A.A., Rogozhnikova, O. Yu.,	Thomas F. Prisner

	Trukhin, D.V., Troitskaya, T. I., Tormyshev, V. M., Fedin, M. V., Pyshnyi, D. V., Bagryanskaya, E. G.	
W-Band pulse EPR distance measurements in peptides using Gd ³⁺ –dipicolinic acid derivatives as spin labels	Phys. Chem. Chem. Phys. , (2011)13, 10771-10780, G.-Grossman, M., Kaminker, I., Gofman, Y., Shai, Y., Goldfarb, D.	Thomas F. Prisner Benesh Joseph
Characterisation of the paramagnetic [2Fe–2S] ⁺ centre in palustrisredoxin-B (PuxB) from Rhodopseudomonas palustris CGA009: g-matrix determination and spin coupling analysis	Phys.Chem. Chem. Phys. , (2012) 14, 6526–6537 Abdalla , J.A.B., Bowen, A. M., Bell, S.G., Wong, L.L., Timmel , C. R., Harmer, J.	Thomas F. Prisner Benesh Joseph
Quantum measurement and orientation tracking of fluorescent nanodiamonds inside living cells	Nature Nanotechnology , (2011) 6, 358–363 McGuinness, L. P., Yan, Y., Stacey, A., Simpson, D. A., Hall, L. T., Maclaurin, D., Prawer, S., Mulvaney, P., Wrachtrup, J., Caruso, F., Scholten, R. E., Hollenberg, L.C.L.	Thomas F. Prisner
Low-Field Optically detected EPR Spectroscopy of Transient Photoinduced Radical Pairs	J. Phys. Chem. A (2005), 109, 5035-5041, Rodgers, C.T., Henbest, K. B., Kukura, P., Timmel, C. R., Hore, P. J.	Thomas F. Prisner Benesh Joseph
Atomic-resolution dynamics on the surface of amyloid- β protofibrils probed by solution NMR	Nature (2011) 480, 268-72 Fawzi NL, Ying J, Ghirlando R, Torchia DA, Clore GM	Harald Schwalbe Boris Fürtig
Resolving the motional modes that code for RNA adaption	Science (2006) 311, 653-6 Zhang Q, Sun X, Watt ED, Al-Hashimi HM.	Harald Schwalbe Boris Fürtig
Direct measurement of distances and angles in biomolecules by NMR in a dilute liquid crystalline medium.	Science (1997) 278, 1111- 4 Tjandra N, Bax A.	Harald Schwalbe Boris Fürtig
Bijvoet in solution reveals unexpected stereoselectivity in a Michael addition	Chemistry (2011) 17, 1811-7, Sun H, d'Auvergne EJ, Reinscheid UM, Dias LC, Andrade CK, Rocha RO, Griesinger C.	Harald Schwalbe Boris Fürtig
Group epitope mapping by saturation transfer difference NMR to identify segments of a ligand in direct contact with a protein receptor.	J.Am.Chem.Soc. (2001) 123, 6108-17 Mayer M, Meyer B.	Harald Schwalbe Boris Fürtig
The nature of hydrogen bonds in cytidine ⁺ h(+) ⁺ cytidine DNA base pairs.	Angew.Chem.Int.Ed. Engl. (2012) 51, 4067-70 Lieblein AL, Krämer M, Dreuw A, Fürtig B, Schwalbe H.	Harald Schwalbe Boris Fürtig
Three-state mechanism couples ligand and temperature sensing in riboswitches	Nature (2013) 499, 355-59 Reining A, Nozinovic S, Schlepckow K, Buhr, F, Fürtig, B, H. Schwalbe	Harald Schwalbe
Direct Observation of Hydrogen Bonds in Nucleic Acid Base Pairs by Internucleotide 2JNN Couplings	J.Am.Chem.Soc. (1998) 120, 8293-97 Dingley, AJ and Grzesiek, S	Boris Fürtig
Indirect Detection of Labile Solute Proton Spectra via the Water Signal Using Frequency-Labeled Exchange (FLEX) Transfer	J. Am. Chem. Soc. (2010) 132, 1813–15 Friedman, JI, McMahon, MT, Stivers, JT and Van Zijl, PCM	Boris Fürtig

Conformational Flexibility of DNA	J.Am.Chem.Soc. (2011) 133, 13375-13379 Marko A, Denysenkov VD, Margraf D, Cekan P, Schiemann O, Sigurdsson ST, Prisner TF	Thomas F. Prisner Benesh Joseph
Dead-Time Free Measurement of Dipole-Dipole Interactions between Electron Spins	J. Magn. Res., (2000) 142, 331-340 Pannier M, Veit S, Godt A, Jeschke G, Spiess HW	Thomas F. Prisner Benesh Joseph
Double electron-electron resonance spin-echo modulation: Spectroscopic measurement of electron spin pair separations in orientationally disordered solids	J.Chem.Phys. (1993) 98, 5134-5146 Larsen R.G, Singel DJ	Thomas F. Prisner Benesh Joseph
Relaxation Filtered Hyperfine (REFINE) Spectroscopy: A Novel Tool for Studying Overlapping Biological Electron Paramagnetic Resonance Signals Applied to Mitochondrial Complex I	Biochemistry (2004) 43, 3969-3978 Maly T, MacMillan F, Zwicker K, Kashani-Poor N, Brandt U, Prisner TF	Thomas F. Prisner Benesh Joseph
Functional and shunt states of bacteriorhodopsin resolved by 250 GHz dynamic nuclear polarization-enhanced solid-state NMR	PNAS (2009) 106, 9244-9249 Bajaj V.S., Mak-Jurkauskas M.L., Belenky M., Herzfeld J., Griffin R.G.	Clemens Glaubitz
Protein-induced bonding perturbation of the rhodopsin chromophore detected by double- quantum solid-state NMR	J.Am.Chem.Soc. (2004) 126, 3948-3953 Carravetta M, Zhao X, Johannessen OG, Lai WC, Verhoever MA, Bovee-Geurts PHM, Verdegem PJE, Kiihne S, Luthman H, deGroot HJM, deGrip WJ, Lutgenburg J, Levitt MH	Clemens Glaubitz
Mechanisms of Proton Conduction and Gating in Influenza M2 Proton Channels from Solid-State NMR	Science (2010) 330, 505-508 Hu F, Luo W, Hong M	Clemens Glaubitz
Atomic-Resolution Three-Dimensional Structure of HET-s(218-289)Amyloid Fibrils by Solid-State NMR Spectroscopy	J.Am.Chem.Soc. (2010) 132, 13765-13775 Van Melckebeke H, Wasmer C, Lange A, Eiso AB, Loquet A, Bockmann A., Meier BH	Clemens Glaubitz
Use of a Copper-Chelated Lipid Speeds Up NMR Measurements from Membrane Proteins	J.Am.Chem.Soc. (2010) 132, 6929-6931 Yamamoto K, Xu J, Kawulka KE, Vederas JC, Ramamoorthy A	Clemens Glaubitz Thomas Prisner
Molecular Dynamics of Proteorhodopsin in Lipid Bilayers by Solid-State-NMR	J.Am.Chem.Soc. (2011) 133, 4874-4881 Yang J., Aslimovska L., Glaubitz C.	Clemens Glaubitz
Intermolecular Structure Determination of Amyloid Fibrils with Magic-Angle Spinning and Dynamic Nuclear Polarization NMR	J. Am. Chem Soc. (2011) 133, 13967-74. Bayro MJ, Debelouchina GT, Eddy MT, Birkett NR, MacPhee CE, Rosay M, Maas WE, Dobson CM, Griffin RG	Clemens Glaubitz Thomas Prisner
Solid-state NMR of proteins sedimented by ultracentrifugation	Proc. Natl. Acad. Sci. USA (2011) 108, 10396-99 Bertini I, Luchinat C, Parigi G, Ravera E, Reif B, Turano P	Clemens Glaubitz Thomas Prisner

Dynamics and structure in the Mn ²⁺ site of concanavalin A as determined by high-field EPR and ENDOR spectroscopy	Magn. Reson. Chem. (2005) 43, S40-50 Goldfarb D., Narasimhulu K.V., Carmieli R.	Thomas F. Prisner Benesh Joseph
Protein fold determined by paramagnetic magic-angle spinning solid-state NMR spectroscopy	Nat. Chem. (2012) 4, 410-17 Sengupta I., Nadaud P.S., Helmus J.J., Schwieters C.D., Jaroniec C.P.	Clemens Glaubitz Thomas Prisner
Ultra-Wideline Solid-State NMR Spectroscopy	Acc. Chem. Res. (2013) 46, 1985-95 Schurko, RW	Clemens Glaubitz Thomas Prisner
Surface Enhanced NMR Spectroscopy by Dynamic Nuclear Polarization	J. Am. Chem. Soc. (2010) 132, 15459-61 Lesage, A, Lelli, M, Gajan, D, Caporini, M A, Vitzthum, V, Miéville, P, Alauzun, J, Roussey, A, Thieuleux, C, Mehdi, A, Bodenhausen, G, Copéret, C, Emsley, L	Thomas F. Prisner
Broadband Inversion PELDOR Spectroscopy with Partially Adiabatic Shaped Pulses	Angew. Chem. Int. Ed.(2013) 52, 3425-29 Spindler, PE, Glaser, SJ, Skinner, TE and Prisner, TF	Thomas F. Prisner Benesh Joseph
Nanometer-Range Distance Measurement in a Protein Using Mn ²⁺ Tags	Phys. Chem. Lett. (2012) 3, 157–160 Banerjee, D, Yagi, H, Huber, T, Otting, G, Goldfarb, D	Thomas F. Prisner Benesh Joseph
Ligand-Induced Conformational Changes of the Multidrug Resistance Transporter EmrE Probed by Oriented Solid-State NMR Spectroscopy	Angew. Chem. Int. Ed. (2013) 52, 10321 –10324 Gayen A, Banigan JR, and Traaseth, NJ	Clemens Glaubitz
Structure of the chemokine receptor CXCR1 in phospholipid bilayers	Nature (2012) 491, 779-783 Park SH, Das, BB, Casagrande, F, Tian, Y, Nothnagel, HJ, Chu, M, Kiefer, H, Maier, K, De Angelis, AA Marassi, FM and Opella SJ	Clemens Glaubitz
Studying “Invisible” Excited Protein States in Slow Exchange with a Major State Conformation	J. Am. Chem. Soc. (2012) 134, 8148–8161 Vallurupalli, P., Bouvignies, G., Kay, L.E.	Boris Fürtig
Heteronuclear Cross-Relaxation under Solid-State Dynamic Nuclear Polarization	J. Am. Chem. Soc. (2016) 138, 16572 Daube D, Aladin V, Heiliger J, Wittmann J J, Barthelmes D, Bengs C, Schwalbe H, Corzilius B	Clemens Glaubitz Thomas Prisner
Improved Sensitivity for Long-Distance Measurements in Biomolecules: Five-Pulse Double Electron–Electron Resonance	J. Phys. Chem. Lett. (2013) 4, 170–175 Borbat PP, Georgieva ER, Freed JH	Benesh Joseph Thomas Prisner
Measurement of Angstrom to Nanometer Molecular Distances with ¹⁹ F Nuclear Spins by EPR/ENDOR Spectroscopy	Angew. Chem. Int. Ed. (2020) 59, 373–379 Meyer A, Dechert S, Dey S, Höbartner C, Bennati M	Benesh Joseph Thomas Prisner

Selective High-Resolution Detection of Membrane Protein–Ligand Interaction in Native Membranes Using Trityl–Nitroxide PELDOR	Angew. Chem. Int. Ed. (2016) 55, 11538–11542 Joseph B, Victor VM, Rogozhnikova OYu, Akhmetzyanov D, Bagryanskaya EG, Prisner TF	Benesh Joseph Thomas Prisner
Deep neural network processing of DEER data	Sci. Adv. (2018) 4, eaat5218 Worswick SG, Spence JAr, Jeschke G, Kuprov I	Benesh Joseph Thomas Prisner
The Double-Histidine Cu ²⁺ -Binding Motif: A Highly Rigid, Site-Specific Spin Probe for Electron Spin Resonance Distance Measurements	Angew. Chem. Int. Ed. (2015) 54, 6330–6334 Cunningham TF, Putterman MR, Desai A, Horne WS, Saxena S	Benesh Joseph
High sensitivity and versatility of the DEER experiment on nitroxide radical pairs at Q-band frequencies	Phys. Chem. Chem. Phys. (2012) , 14, 10762–10773 Polyhach Y, Bordinon E, Tschaggelar R, Gandra S, Godt A, Jeschke G	Benesh Joseph Thomas Prisner